

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
11B: Colo-----	55	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Ely-----	30	Not limited		Not limited		Not limited	
13B: Olmitz-----	40	Not limited		Not limited		Not limited	
Colo-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Vesser-----	20	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
23C: Arispe-----	95	Not limited		Not limited		Not limited	
23C2: Arispe-----	95	Not limited		Not limited		Not limited	
24D2: Shelby-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
24E2: Shelby-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
41D: Sparta-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Slope Droughty	0.16 0.09
51: Vesser-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
54: Zook-----	95	Very limited		Very limited		Very limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone Flooding	1.00 0.60
54+: Zook-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
58D2: Douds-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
58E2: Douds-----	95	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
65D: Lindley-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
65E: Lindley-----	95	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
65E2: Lindley-----	95	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
65G: Lindley-----	95	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope	1.00
76B: Ladoga-----	95	Not limited		Not limited		Not limited	
76C: Ladoga-----	100	Not limited		Not limited		Not limited	
76C2: Ladoga-----	100	Not limited		Not limited		Not limited	
76D: Ladoga-----	95	Not limited		Not limited		Somewhat limited Slope	0.63

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
76D2: Ladoga-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
80D: Clinton-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
80D2: Clinton-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
130: Belinda-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
131B: Pershing-----	95	Not limited		Not limited		Not limited	
131C: Pershing-----	90	Not limited		Not limited		Not limited	
132B: Weller-----	95	Not limited		Not limited		Not limited	
132C: Weller-----	100	Not limited		Not limited		Not limited	
133: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
133+: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
133B: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
179D2: Gara-----	90	Not limited		Not limited		Somewhat limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
179E2: Gara-----	100	Somewhat limited Slope	0.02	Not limited		Slope	0.63
179F: Gara-----	90	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
179F2: Gara-----	90	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
192D2: Adair-----	90	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
211: Edina-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
220: Nodaway-----	95	Not limited		Not limited		Somewhat limited Flooding	0.60
222C: Clarinda-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
222C2: Clarinda-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
222D2: Clarinda-----	90	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
223C2: Rinda-----	95	Not limited		Not limited		Somewhat limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
223D2: Rinda-----	95	Not limited		Not limited		Depth to saturated zone	0.19
260: Beckwith-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Slope Depth to saturated zone	0.63 0.19
263: Okaw-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
273C: Olmitz-----	100	Not limited		Not limited		Not limited	
279: Taintor-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
280: Mahaska-----	90	Not limited		Not limited		Not limited	
281B: Otley-----	95	Not limited		Not limited		Not limited	
281C: Otley-----	95	Not limited		Not limited		Not limited	
281C2: Otley-----	100	Not limited		Not limited		Not limited	
313D: Gosport-----	95	Not limited		Not limited		Somewhat limited Slope Depth to bedrock Depth to saturated zone	0.63 0.46 0.03
313D2: Gosport-----	95	Not limited		Not limited		Somewhat limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
313E: Gosport-----	85	Somewhat limited Slope	0.02	Not limited		Slope Depth to bedrock Depth to saturated zone	0.63 0.46 0.03
313E2: Gosport-----	85	Somewhat limited Slope	0.02	Not limited		Very limited Slope Depth to bedrock Depth to saturated zone	1.00 0.46 0.03
313F: Gosport-----	85	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope Depth to bedrock Depth to saturated zone	1.00 0.46 0.03
362: Haig-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
364B: Grundy-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
419D2: Vanmeter-----	100	Not limited		Not limited		Somewhat limited Slope Depth to bedrock Droughty Depth to saturated zone	0.63 0.46 0.17 0.03
419E2: Vanmeter-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope Depth to bedrock	1.00 0.46

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
423D2: Bucknell-----	95	Not limited	0.02	Not limited		Droughty Depth to saturated zone	0.17 0.03
424E2: Lindley-----	60	Somewhat limited Slope		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
Keswick-----	30	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
425C: Keswick-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
425D: Keswick-----	95	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
425D2: Keswick-----	100	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
428B: Ely-----	95	Not limited		Not limited		Not limited	
452C: Lineville-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
478G: Gosport-----	60	Very limited Slope	1.00	Somewhat limited Slope	0.04	Very limited Slope Depth to bedrock	1.00 0.46

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop-----	30	Not rated		Not rated		Depth to saturated zone Not rated	0.03
484: Lawson-----	95	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
594C2: Galland-----	95	Not limited		Not limited		Not limited	
594D2: Galland-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
688: Koszta-----	95	Not limited		Not limited		Not limited	
731C2: Pershing-----	90	Not limited		Not limited		Not limited	
731D2: Pershing-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
732C2: Weller-----	90	Not limited		Not limited		Not limited	
732D2: Weller-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
792C2: Armstrong-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
792D2: Armstrong-----	95	Not limited		Not limited		Somewhat limited Slope	0.63

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
795D: Ashgrove-----	100	Not limited		Not limited		Depth to saturated zone	0.19
822D2: Lamoni-----	100	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
832C2: Weller-----	90	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
876B: Ladoga-----	100	Not limited		Not limited		Not limited	
876C2: Ladoga-----	95	Not limited		Not limited		Not limited	
993D2: Gara-----	60	Not limited		Not limited		Not limited	
Armstrong-----	30	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
993E2: Gara-----	60	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Armstrong-----	30	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
1130: Belinda-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1131C: Pershing-----	100	Not limited		Not limited		Not limited	
1279: Taintor-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
5020: Dumps-----	50	Not rated		Not rated		Not rated	
Pits-----	50	Not rated		Not rated		Not rated	
5021: Orthents-----	100	Not rated		Not rated		Not rated	
5030: Pits-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	